This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

AREFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

L	Hits	Search Text	DB	Time stamp
Number	120	717/171 172	HCD2M.	2004/09/28
1	120	717/171-172.ccls.	USPAT; EPO; DERWENT;	17:16
2	1409	715/511-513.ccls. or 715/523-524.ccls.	USOCR USPAT; EPO;	2004/09/28
3	2002	719/315-329.CCLS.	DERWENT; USOCR USPAT;	2004/09/28
			EPO; DERWENT;	17:17
4	2345	709/203.CCLS.	USOCR USPAT; EPO; DERWENT;	2004/09/28 17:17
5 ,	2976	719/311-319.ccls. or 719/328-329.ccls.	USOCR USPAT; US-PGPUB; EPO; JPO;	2004/09/28 17:18
6	104	citrix.asn.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28
7	2	citrix.asn. and mitchell.inv.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/28
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	17:26
8	362	345/762.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:26
9	2	citrix.asn. and walters.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 17:27
10	17	citrix.asn. and (application same independent)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 17:27
11	39	citrix.asn. and application and independent	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/28
•			DERWENT; IBM TDB	
12	38	(citrix.asn. and application and independent) and client\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 17:29
13	10	((citrix.asn. and application and independent) and client\$1) and @ad>20010701	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
14	40593	(INDEPENDENT\$1 SAME APPLICATION\$1)	IBM_TDB USPAT; EPO	2004/09/28 17:30
15	4613	(((INDEPENDENT\$1 SAME APPLICATION\$1)) SAME PROCESS)	USPAT; EPO	2004/09/28
16	241	(((((INDEPENDENT\$1 WITH APPLICATION\$1)) SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR PROCESS\$2))) SAME REMOTE\$2)	USPAT; EPO	2004/09/28 17:30

17	63	((((((INDEPENDENT\$1 WITH APPLICATION\$1))	USPAT;	2004/09/28	
		SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR PROCESS\$2))) SAME REMOTE\$2)) SAME EXECUT\$4)	EPO	17:30	
18	2935	((709/217) or (709/219)).CCLS.	USPAT; EPO	2004/09/28 17:31	
19	127	((((709/203.CCLS.) AND ((709/219 OR 709/217).CCLS.))) AND ((INDEPENDENT\$1	USPAT; EPO	2004/09/28 17:31	
20	7615	SAME APPLICATION\$1))) (REMOTE WITH EXECUT\$4)	USPAT; EPO	2004/09/28	
21	370	(((INDEPENDENT\$1 SAME APPLICATION\$1)) SAME (GUI\$1 OR (GRAPHICAL ADJ1 USER)))	USPAT; EPO	2004/09/28	
22	84	(((709/219 OR 709/217).CCLS.) AND ((((INDEPENDENT\$1 WITH APPLICATION\$1))	USPAT; EPO	2004/09/28 17:31	
.23	. 8	SAME CLIENT\$1))) aicp\$1	USPAT; EPO	2004/09/28	
24	31	(((INDEPENDENT\$1 WITH APPLICATION\$1)) WITH CLIENT\$1 WITH PROCESS)	USPAT; EPO	2004/09/28	
25	713	geckil near3 mehmet.xp, xa.	USPAT; EPO	2004/09/28	
26	. 8	kodosky.inv. AND geckil.xp,xa.	USPAT; EPO	2004/09/28 17:32	
27	566	Ţ	USPAT; EPO	2004/09/28 17:33	
. 28	218	builder\$1 same gui	USPAT; EPO	2004/09/28 17:33	
29	280	<pre>((change or transition) near3 (updat\$3 or state)) and ((platform adj independent))</pre>	USPAT; EPO; DERWENT; USOCR	2004/09/28	
30	7401	<pre>((object or connection or session) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28	
31	109605	(control near3 (object\$1 or identifier\$1 or id\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:34	
32	28004	(active adj x) or java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:35	
	605042	<pre>(object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 17:35	
34	484	((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((719/311-319.ccls. or 719/328-329.ccls.) or (715/511.ccls. or 715/523-524.ccls.) or (707/201-203.ccls. or 707/103.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:36	
35	1344	or 717/171-172.ccls.) display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:36	-

36	548	(display\$3 with (gui or interface) with (object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and @ad>20010701	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:37
37	, 22	((display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and @ad>20010701) and (717/171-172.ccls. or (715/511-513.ccls. or 715/523-524.ccls.) or 719/315-329.CCLS. or 709/203.CCLS. or (719/311-319.ccls. or 719/328-329.ccls.) or 345/762.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:38
38	0	(((display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and @ad>20010701) and (717/171-172.ccls. or (715/511-513.ccls. or 715/523-524.ccls.) or 719/315-329.CCLS. or 709/203.CCLS. or (719/311-319.ccls. or 719/328-329.ccls.) or 345/762.ccls.)) and ((INDEPENDENT\$1 SAME APPLICATION\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28
39	8	((control near3 (object\$1 or identifier\$1 or id\$1))) and (((display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and @ad>20010701) and (717/171-172.ccls. or (715/511-513.ccls. or 715/523-524.ccls.) or 719/315-329.CCLS. or 709/203.CCLS. or (719/311-319.ccls. or 719/328-329.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:38
40	8307	((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:39
41	40162	xml or html or sgml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:39
42		(xml or html or sgml) and (((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((INDEPENDENT\$1 SAME APPLICATION\$1)) and (717/171-172.ccls. or (715/511-513.ccls. or 715/523-524.ccls.) or 719/315-329.CCLS. or 709/203.CCLS. or (719/311-319.ccls. or 719/328-329.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:40
43	41	or 345/762.ccls.) ((control near3 (object\$1 or identifier\$1 or id\$1))) and ((xml or html or sgml) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and ((INDEPENDENT\$1 SAME APPLICATION\$1)) and (717/171-172.ccls. or (715/511-513.ccls. or 715/523-524.ccls.) or 719/315-329.CCLS. or 709/203.CCLS. or (719/311-319.ccls. or 719/328-329.ccls.) or 345/762.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:41

44	41	(((control near3 (object\$1 or	USPAT;	2004/09/28
		identifier\$1 or id\$1))) and ((xml or	US-PGPUB;	17:41
		html or sgml) and (((updat\$3 or chang\$3)	EPO; JPO;	
		with (state or transition) with (software	DERWENT;	_
		or program or table\$1 or list\$1 or	IBM_TDB	
		object\$1)) and ((object or connection or		
		session or file\$1) with (relation\$6 or		
		<pre>description\$1 or attribute or defin\$6))) and ((INDEPENDENT\$1 SAME APPLICATION\$1)</pre>		
) and (717/171-172.ccls. or		
		(715/511-513.ccls. or 715/523-524.ccls.)		
		or 719/315-329.CCLS. or 709/203.CCLS. or		
		(719/311-319.ccls. or 719/328-329.ccls.)		·
		or 345/762.ccls.))) and @ad<20010101		
45	22	(((control near3 (object\$1 or	USPAT;	2004/09/28
		identifier\$1 or id\$1))) and ((xml or	US-PGPUB;	17:42
		html or sgml) and (((updat\$3 or chang\$3)	EPO; JPO;	
		with (state or transition) with (software	DERWENT;	
		or program or table\$1 or list\$1 or	IBM_TDB	
		object\$1)) and ((object or connection or		
8 .		session or file\$1) with (relation\$6 or		
		description\$1 or attribute or defin\$6)))		
		and ((INDEPENDENT\$1 SAME APPLICATION\$1)		
) and (717/171-172.ccls. or (715/511-513.ccls.)		
	*	(715/511-513.ccls. or 715/523-524.ccls.) or 719/315-329.CCLS. or 709/203.CCLS. or		
	11	(719/311-319.ccls. or 719/328-329.ccls.)		
	- 3.	or 345/762.ccls.))) and @ad<19990101		
46	22	((object or connection or session or	USPAT;	2004/09/28
	22	file\$1) with (relation\$6 or description\$1	US-PGPUB;	17:43
		or attribute or defin\$6)) and	EPO; JPO;	
		((((control near3 (object\$1 or	DERWENT;	
		identifier\$1 or id\$1))) and ((xml or	IBM TDB	
		html or sgml) and (((updat\$3 or chang\$3)	_	
		with (state or transition) with (software		
		or program or table\$1 or list\$1 or		
:		object\$1)) and ((object or connection or		
		session or file\$1) with (relation\$6 or		
		description\$1 or attribute or defin\$6)))		
		and ((INDEPENDENT\$1 SAME APPLICATION\$1)) and (717/171-172.ccls. or		
) and (717/171-172.ccls. or (715/511-513.ccls.)		
		or 719/315-329.CCLS. or 709/203.CCLS. or		
		(719/311-319.ccls. or 719/328-329.ccls.)		
		or 345/762.ccls.))) and @ad<19990101)		
47	3	(display\$3 with (gui or interface) with	USPAT;	2004/09/28
	•	((object or connection or session or	US-PGPUB;	17:43
		file\$1) with (relation\$6 or description\$1	EPO; JPO;	
		or attribute or defin\$6))) and (((object	DERWENT;	
		or connection or session or file\$1) with	IBM_TDB	
1)(1		(relation\$6 or description\$1 or attribute		
, a		or defin\$6)) and ((((control near3		
		(object\$1 or identifier\$1 or id\$1)) and	and the second of the second o	
		((xml or html or sgml) and (((updat\$3 or		
		chang\$3) with (state or transition) with		
		(software or program or table\$1 or list\$1		
		or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or		
		description\$1 or attribute or defin\$6)))		
		and ((INDEPENDENT\$1 SAME APPLICATION\$1)		
) and (717/171-172.ccls. or		
		(715/511-513.ccls. or 715/523-524.ccls.)		
	-	or 719/315-329.CCLs. or 709/203.CCLs. or		
-8-		(719/311-319.ccls. or 719/328-329.ccls.)		
		or 345/762.ccls.))) and @ad<19990101))		
-	97	citrix.asn.	USPAT;	2004/09/28
			US-PGPUB;	12:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	citrix.asn. and mitchell.inv.	USPAT;	2004/09/28
			US-PGPUB;	12:10
			EPO; JPO;	
	3		DERWENT;	
			IBM_TDB	
_	2	citrix.asn. and walters.inv.	USPAT;	2004/09/28
			US-PGPUB;	12:11
		T .	EPO; JPO;	
			DERWENT;	
	2.5		IBM_TDB	0004/00/00
-	35		USPAT;	2004/09/28
		independent	US-PGPUB;	12:11
			EPO; JPO;	
		·	DERWENT; IBM TDB	
_	. 34	(citrix.asn. and application and	USPAT;	2004/09/28
]	independent) and client\$1	US-PGPUB;	12:11
		Independent/ and cirenty!	EPO; JPO;	12.11
			DERWENT;	
			IBM TDB	
-	10	((citrix.asn: and application and	USPAT;	2004/09/28
		independent) and client\$1) and	US-PGPUB;	12:12
		@ad>20010701	EPO; JPO;	
			DERWENT;	
		· ·	IBM TDB	
_	38849	(INDEPENDENT\$1 SAME APPLICATION\$1)	USPAT;	2004/09/28
			EPO	12:12
-	2113	(709/203).CCLs.	USPAT;	2004/09/28
			EPO	12:12
-	4383	(((INDEPENDENT\$1 SAME APPLICATION\$1))	USPAT;	2004/09/28
		SAME PROCESS)	EPO	12:12
	132	(((((INDEPENDENT\$1 SAME APPLICATION\$1))	USPAT;	2004/04/20
		SAME PROCESS)) SAME REMOTE\$2)	EPO	11:54
-	14321	(INDEPENDENT\$1 with APPLICATION\$1)	USPAT;	2004/04/20
			EPO	11:54
-	4328	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/20
		SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR	EPO	11:54
		PROCESS\$2))		
-	. 233		USPAT;	2004/09/28
		SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR	EPO	12:12
	C1	PROCESS\$2))) SAME REMOTE\$2)	****	0004/00/00
_	61		USPAT;	2004/09/28
		SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR	EPO	12:12
		PROCESS\$2))) SAME REMOTE\$2)) SAME EXECUT\$4)		
_	2648	· •	USPAT;	2004/09/28
	2070	((,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO	12:12
_	771	((709/203.CCLS.) AND ((709/219 OR	USPAT;	2004/09/28
	,,,	709/217).CCLS.))	EPO	12:13
-	115		USPAT;	2004/09/28
		709/217).CCLS.))) AND ((INDEPENDENT\$1	EPO	12:14
		SAME APPLICATION\$1)))	,	
	. 7097		USPAT;	2004/09/28
			EPO	12:14
-	348	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/28
		SAME (GUI\$1 OR (GRAPHICAL ADJ1 USER)))	EPO	12:14
-	78		USPAT;	2004/09/28
		((((INDEPENDENT\$1 WITH APPLICATION\$1))	EPO	12:15
		SAME CLIENT\$1)))		
_	6	aicp\$1	USPAT;	2004/09/28
	1	///INDEDENDERMA1 TITME	EPO	12:15
_	28	(((INDEPENDENT\$1 WITH APPLICATION\$1))	USPAT;	2004/09/28
_	45007	WITH CLIENT\$1 WITH PROCESS)	EPO	12:15
_	45007	(PROGRAM\$1 WITH APPLICATION)	USPAT;	2004/09/28
_	183	geckil-mehmet.xp,xa.	EPO .	12:16
	103	geonii meimet.xp,xa.	USPAT;	2004/09/28
_	696	geckil.xp,xa.	EPO	12:16
		gccarr.ap, aa.	USPAT; EPO	2004/04/20 11:57
_	8	kodosky.inv. AND geckil.xp,xa.	USPAT;	2004/09/28
		goonii.xp, Aa.	EPO	12:16
L	l		што	14.10

-				
_	526	builder\$1 and gui	USPAT; EPO	2004/09/28 12:17
-	202	builder\$1 same gui	USPAT; EPO	2004/09/28 12:17
_	75982	change near3 state	USPAT;	2004/09/28
_	2011	(platform adj independent)	EPO; DERWENT; USOCR USPAT; EPO; DERWENT;	12:17 2004/09/28 12:18
-	254	((change or transition) near3 (updat\$3 or state)) and ((platform adj independent))	USOCR USPAT; EPO; DERWENT;	2004/09/28 12:18
-	44544	((change or transition or table or list\$1 or matrix) near3 (updat\$3 or state)) same	USOCR USPAT; EPO;	2004/09/28
	18256	(object or gui or process or attribute or layout or entity or data or applet) (updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)	DERWENT; USOCR USPAT; EPO; DERWENT;	2004/04/20 12:25
_	102	717/171-172.ccls.	USOCR USPAT; EPO; DERWENT;	2004/09/28
<u>-</u> `	1872	707/201-203.ccls. or 707/103.ccls.	USOCR USPAT; EPO; DERWENT;	2004/04/20 12:27
_	382	715/511.ccls. or 715/523-524.ccls.	USOCR USPAT; EPO; DERWENT;	2004/09/28 17:17
_	105	((715/511.ccls. or 715/523-524.ccls.) or (707/201-203.ccls. or 707/103.ccls.) or 717/171-172.ccls. or ((709/203):CCLS.)) and @ad>20010701	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/20 12:29
	5	(((715/511.ccls. or 715/523-524.ccls.) or (707/201-203.ccls. or 707/103.ccls.) or 717/171-172.ccls. or ((709/203).CCLS.)) and @ad>20010701) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:31
-	533243	or object\$1)) (object or connection or session) with (relation\$6 or description\$1 or attribute or defin\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/20 12:41
-	2620	719/311-319.ccls. or 719/328-329.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:17
_	4890	((object or connection or session) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:33

	1	<pre>(((object or connection or session) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:34
		object\$1))) and (((715/511.ccls. or 715/523-524.ccls.) or (707/201-203.ccls.) or 707/103.ccls.) or 717/171-172.ccls. or ((709/203).CCLS.)) and @ad>20010701) and	, ,	·
-	104873	(719/311-319.ccls. or 719/328-329.ccls.) (control near3 (object\$1 or identifier\$1 or id\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
-	24194	(active adj x) or java	IBM_TDB USPAT; US-PGPUB;	2004/09/28 17:35
		, ·	EPO; JPO; DERWENT; IBM TDB	
,	574782	<pre>(object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 17:35
_	362	((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:35
		list\$1 or object\$1)) and ((719/311-319.ccls. or 719/328-329.ccls.) or (715/511.ccls. or 715/523-524.ccls.) or (707/201-203.ccls. or 707/103.ccls.) or 717/171-172.ccls.)		
_	1	(((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/20 12:42
	()	list\$1 or object\$1)) and ((719/311-319.ccls. or 719/328-329.ccls.) or (715/511.ccls. or 715/523-524.ccls.) or (707/201-203.ccls. or 707/103.ccls.)	TBM_TBB	
-	1221	or 717/171-172.ccls.)) and @ad>20010701 display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
-	453	(display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
-	5412	@ad>20010701	IBM_TDB USPAT; US-PGPUB;	2004/04/20
		or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1))	EPO; JPO; DERWENT; IBM_TDB	
-	71	<pre>(((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1))) and (display\$3 with</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:44
		<pre>(gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)))</pre>		

	•			
-	1	((((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1))) and (display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)))) and @ad>20010701	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:44
_	45310	(descript\$4 or definition) near2 (file\$1 or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/20 12:45
-	3466	((control near3 (object\$1 or identifier\$1 or id\$1))) and ((descript\$4 or definition) near2 (file\$1 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/20
	5412	((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/28 17:39
	433	<pre>(((control near3 (object\$1 or identifier\$1 or id\$1))) and ((descript\$4 or definition) near2 (file\$1 or data))) and ((updat\$3 or chang\$3) with (state or transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:45
	24	<pre>(display\$3 with (gui or interface) with ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6))) and ((((control near3 (object\$1 or identifier\$1 or id\$1))) and ((descript\$4 or definition) near2 (file\$1 or data))) and (((updat\$3 or chang\$3) with (state or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 12:45
	1	transition) with (software or program or table\$1 or list\$1 or object\$1)) and ((object or connection or session or file\$1) with (relation\$6 or description\$1 or attribute or defin\$6)))		
	1	6161126.pn. 6035332.pn.	USPAT; EPO	2004/05/02
- ·	104	citrix.asn.	USPAT; EPO USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/02 19:29 2004/09/28 17:18
	2	citrix.asn. and mitchell.inv.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28
-	2	citrix.asn. and walters.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/28 17:26

	17	citrix.asn. and (application same	USPAT;	2004/09/28	
	'	independent)	US-PGPUB;	17:27	
			EPO; JPO;		
			DERWENT;		
	20		IBM_TDB	0004/00/00	
_	39	1	USPAT;	2004/09/28	
		independent	US-PGPUB; EPO; JPO;	17:29	
	•	*	DERWENT;		
			IBM TDB		
_	38	(citrix.asn. and application and	USPAT;	2004/09/28	
		independent) and client\$1	US-PGPUB;	17:29	
			EPO; JPO;		
			DERWENT; IBM TDB		
_	10	((citrix.asn. and application and	USPAT;	2004/09/28	
		independent) and client\$1) and	US-PGPUB;	17:29	
		@ad>20010701	EPO; JPO;		
•			DERWENT;		
			IBM_TDB		×
	40593	(INDEPENDENT\$1 SAME APPLICATION\$1)	USPAT;	2004/09/28	
_	2245	(709/202) CCTC	EPO	17:30	
-	2345	(709/203).CCLS.	USPAT; EPO	2004/09/28	
	4613	(((INDEPENDENT\$1 SAME APPLICATION\$1))	USPAT;	2004/09/28	
		SAME PROCESS)	EPO EPO	17:30	
- '	241	(((((INDEPENDENT\$1 WITH APPLICATION\$1))	USPAT;	2004/09/28	
		SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR	EPO	17:30	ł
	1	PROCESS\$2))) SAME REMOTE\$2)			٠
_	63	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/09/28	
		SAME (SOFTWARE OR CODE OR PROGRAM\$1 OR PROCESS\$2))) SAME REMOTE\$2)) SAME	EPO	17:30	
		EXECUT\$4)			
_	2935	· ·	USPAT;	2004/09/28	
			EPO	17:31	
_	859	, , , ,	USPAT;	2004/09/28	
		709/217).CCLS.))	EPO	12:13	
_	127	((((709/203.CCLS.) AND ((709/219 OR	USPAT;	2004/09/28	
		709/217).CCLS.))) AND ((INDEPENDENT\$1 SAME APPLICATION\$1)))	EPO	17:31	
•••	7615	(REMOTE WITH EXECUT\$4)	USPAT;	2004/09/28	
		(0.000000 0.000000000000000000000000000	EPO	17:31	
_	370	(((INDEPENDENT\$1 SAME APPLICATION\$1))	USPAT;	2004/09/28	
		SAME (GUI\$1 OR (GRAPHICAL ADJ1 USER)))	EPO	17:31	
-	8 4	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/28	
		((((INDEPENDENT\$1 WITH APPLICATION\$1)) SAME CLIENT\$1)))	EPO	17:31	
_	8	aicp\$1	USPAT;	2004/09/28	
			EPO	17:32	
-	31	(((INDEPENDENT\$1 WITH APPLICATION\$1))	USPAT;	2004/09/28	
		WITH CLIENT\$1 WITH PROCESS)	EPO	17:32	
-	48022	(PROGRAM\$1 WITH APPLICATION)	USPAT;	2004/09/28	
_	184	geckil-mehmet.xp,xa.	EPO	12:16	
_	104	georii-meimmet.xp, xa.	USPAT; EPO	2004/09/28	
_	713	geckil near3 mehmet.xp,xa.	USPAT;	2004/09/28	ŀ
		,	EPO	17:32	
_	8	kodosky.inv. AND geckil.xp,xa.	USPAT;	2004/09/28	
		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	EPO	17:32	
_	566	builder\$1 and gui	USPAT;	2004/09/28	
_	218	builder\$1 same gui	EPO USPAT;	17:33 2004/09/28	
		× ×	EPO	17:33	
_	78424	change near3 state	USPAT;	2004/09/28	
			EPO;	12:18	
			DERWENT;	*	,
	0100	()	USOCR	0004/00/5	
_	2188	(platform adj independent)	USPAT;	2004/09/28	
			EPO; DERWENT;	12:18	
			USOCR		
	L	1	1 ~~~~.		- 1

_	280	((change or transition) near3 (updat\$3 or state)) and ((platform adj independent))	USPAT; EPO;	2004/09/28 17:33
	-	scace, and ((praction adj independent))	DERWENT;	,
_	46457	((change or transition or table or list\$1 or matrix) near3 (updat\$3 or state)) same	USPAT; EPO;	2004/09/28
		(object or gui or process or attribute or layout or entity or data or applet)	DERWENT; USOCR	13.00